

Basic Attributes	Number	Name	UOM	Version
	01228065	Mill, junk, concave smooth 12-1/4 OD 6-5/8 regular pin	each	A.4
Primary Legacy Number	1228065	State	Released	
Secondary Legacy Number		Is Prime	Not Set	
Type	Inseparable	Source	Make	
Original Submitter	zzdeactivated (Gross, Lilian) 2008-09-24 16:14:46 CDT	Latest Submitter		
Original Checker		Latest Checker		
Original Promoter	Winterrowd, Ken 2008-09-24 17:09:57 CDT	Latest Promoter		
Described By	Document Number	Version		
	D000327606	A.2		
Classification	Weatherford/Fishing/Mills/Junk			
Attribute	Value	Attribute	Value	
CIRCULATION PORT SIZE	0.500 in	CIRCULATION PORTS	8	
CONNECTION UP SIZE	6.625 in	CONNECTION UP SIZE FRACTIONAL	6-5/8	
DRESSED OUTSIDE DIAMETER	12.250 in	DRESSING MATERIAL	Insert	
FISHING NECK DIAMETER	8.000 in	FISHING NECK LENGTH	12.000 in	
MINIMUM INSIDE DIAMETER	3.500 in	NUMBER OF BLADES	8	
STABILIZER PADS	4	STABILIZER PADS OUTSIDE DIAMETER	12.190 in	
TYPE	Junk			
PDF Created: 2015-04-16 01:30:52 CDT  © Weatherford 2015 All rights reserved This document is copyrighted and whether containing patentable or non-patentable subject matter is and comprises the proprietary and confidential information of Weatherford International Ltd. and by receiving this document the recipient agrees that this document is loaned in confidence with the understanding that neither it nor the information in it will be reproduced or disclosed, in whole or in part for any purpose except the limited purpose for which it is loaned. This document and any facsimiles hereof shall be returned to Weatherford International Ltd. upon demand. PDM SYSTEM INFORMATION FOR PART 01228065 Mill, junk, concave smooth 12-1/4 OD 6-5/8 regular pin				

Part 01228065, Mill, junk, concave smooth 12-1/4 OD 6-5/8 regular pin, A (Design) BOM List:

Line Number	Number	Primary Legacy Number	Name	Quantity	UOM	Find Number	Reference Designator
6	00104547	890992	WELD MEDIA, NICKEL SILVER 0.125 DIA IN FLUX COATED	6.0	pounds		
8	00104544	890983	Weld,media, .250 DIA Colmonoy #6	2.0	pounds		
9	00102308	60026	Thread protector, 6.625 IN regular pin, plastic	1.0	each		
998	00102759	60795	Rod, carbide composite 0.250 DIA 0.250 LG IN	35.0	pounds		
999	00102741	607-826	INSR, SQ tungsten CRBD 0.188 THK .391 WD 0.391 LG IN	276.0	each		

PDF Created:

2015-04-16 01:30:52 CDT



© Weatherford 2015 All rights reserved

This document is copyrighted and whether containing patentable or non-patentable subject matter is and comprises the proprietary and confidential information of Weatherford International Ltd. and by receiving this document the recipient agrees that this document is loaned in confidence with the understanding that neither it nor the information in it will be reproduced or disclosed, in whole or in part for any purpose except the limited purpose for which it is loaned. This document and any facsimiles hereof shall be returned to Weatherford International Ltd. upon demand.

PDM SYSTEM INFORMATION FOR PART 01228065

Mill, junk, concave smooth 12-1/4 OD 6-5/8 regular pin

